

United States Of America  
Department of Transportation - Federal Aviation Administration

# Supplemental Type Certificate

*Number* SA09321AC-D

*This Certificate issued to* S-TEC Corporation  
One S-TEC Way  
Mineral Wells Municipal Airport  
Mineral Wells, TX 76067-9236

*certifies that the change in the type design for the following product with the limitations and conditions therefor as specified hereon meets the airworthiness requirements of Part 3 of the Civil Air Regulations.*

*Original Product Type Certificate Number:* 5A6

*Make:* Cessna

*Model:* 180, 180A, 180B, 180C, 180D, 180E, 180F, 180G, 180H, 180J, and 180K

*Description of Type Design Change:*

Installation of S-TEC System 30 ALT Altitude Hold System, Model ST-721, according to Bulletin No. 821, dated 12-30-97 and Master Drawing List No. 921058, dated 12-30-97 or later FAA Approved revisions of the above data (14 Volt System).

*Limitations and Conditions:*

1. Also eligible on The Above Models When Modified Per STC SA1705WE (Internal Tip Tanks) and/or STC SA1435WE (Robertson STOL) (Landplane, Floatplane or Amphibian).

(See Continuation Sheet, Page 2, a part of this STC.)

*This certificate and the supporting data which is the basis for approval shall remain in effect until surrendered, suspended, revoked or a termination date is otherwise established by the Administrator of the Federal Aviation Administration.*

*Date of application:* 12-31-97

*Date reissued:*

*Date of issuance:* 1-03-98

*Date amended:*

*By direction of the Administrator*



*William J. Thomas*  
(Signature)

William J. Thomas  
DAS Staff Coordinator, DAS 5 SW  
(Title)

# Supplemental Type Certificate

(Continuation Sheet)

*Number* SA09321AC-D

## Limitations and Conditions (con't.)

2. FAA/DAS Approved Supplemental Flight Manual, P/N 891624, dated 1-03-98 is required for Cessna Models 180, 180A, 180B, 180C, 180D, 180E, and 180F (Landplane, Floatplane or Amphibian) and The Above Models When Modified per STC SA1705WE (Internal Tip Tanks) and/or STC SA1435WE (Robertson STOL) or later FAA Approved revisions of the above supplement.
3. FAA/DAS Approved Supplemental Flight Manual, P/N 891625, dated 1-03-98 is required for Cessna Models 180G, 180H, 180J, and 180K, S/N 18053000 and Below (Landplane, Floatplane or Amphibian) and The Above Models When Modified Per STC SA1705WE (Internal Tip Tanks) and/or STC SA1435WE (Robertson STOL) or later FAA Approved revisions of the above supplement.
4. FAA/DAS Approved Pilot's Operating Handbook and/or Airplane Flight Manual Supplement, P/N 891626, dated 1-03-98 is required for Cessna Model 180K, S/N 18053001 and Up (Landplane, Floatplane or Amphibian) and The Above Model When Modified Per STC SA1705WE (Internal Tip Tanks) and/or STC SA1435WE (Robertson STOL) or later FAA Approved revisions of the above supplement.
5. Compatibility of this modification with other previously approved modifications must be determined by the installer.

INSTRUCTIONS: The transfer endorsement below may be used to notify the appropriate FAA Regional Office of the transfer of the Supplemental Type Certificate.

The FAA will reissue the certificate in the name of the transferee and forward it to him.

---

### TRANSFER ENDORSEMENT

Transfer the ownership of Supplemental Type Certificate Number \_\_\_\_\_

to (Name of transferee) \_\_\_\_\_

(Address of transferee) \_\_\_\_\_

(Number and street)

(City, State, and ZIP code)

from (Name of grantor) (Print or type) \_\_\_\_\_

(Address of grantor) \_\_\_\_\_

(Number & street)

(City, State, and ZIP code)

Extent of Authority (if licensing agreement): \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Date of Transfer: \_\_\_\_\_

Signature of grantor (In ink): \_\_\_\_\_